

KX-TDA DIGITAL HYBRID IP-PBX SYSTEM FEATURE LIST

System Features	KX-TDA50	KX-TDA100	KX-TDA200
• Absent Message Capability	X	X	X
• Account Code Entry (Forced Verified)	X	X	X
• Account Code Entry (Optional)	X	X	X
• A.R.S. (Automatic Route Selection)	X	X	X
• Automated Attendant (with DISA/OGM)	X	X	X
• Automatic CO Hunting	X	X	X
• Automatic Fault Logging	X	X	X
• B.G.M. (Back Ground Music) Jack	X	X	X
• Call Back Busy	X	X	X
• Call Forwarding	X	X	X
• Call Hunting (Terminal or Circular)	X	X	X
• Call Log	X	X	X
• Call Parking Zones	X	X	X
• Call Park Retrieve	X	X	X
• Call Pick Up	X	X	X
• Call Transfer/Transfer Recall	X	X	X
• Call Waiting	X	X	X
• Caller ID, Call Logging	X	X	X
• Caller ID, Call Log Lock	X	X	X
• Caller ID, Callback	X	X	X
• Caller ID, Call Waiting	X	X	X
• Caller ID, Date and Time Adjust	X	X	X
• Caller ID (Name and/or Number)	X	X	X
• Class of Service	X	X	X
• CO Limited Duration Timer	X	X	X
• CO Line Names	X	X	X
• CO Line Status (Two Color LED)	X	X	X
• Conference Calling (8 Party)	X	X	X
• Data Line Security (for Fax or Modem)	X	X	X
• Data and Time Display	X	X	X
• Delayed Ringing	X	X	X
• D.I.L. (Direct In Line)	X	X	X
• D.I.S.A. (Direct Inward System Access)	X	X	X
• D.I.S.A. Single Digit Access	X	X	X
• Distinctive Ringing Tone (CO, Intercom)	X	X	X
• Distinctive Ring Tone (Doorphones)	X	X	X
• D.N.D. (Do Not Disturb)	X	X	X
• Do Not Disturb Override	X	X	X
• Door Intercoms/Door Opener Contacts	4	8	16
• DSS/BLF Consoles	X	X	X
• Dual Port Usage (Parallel SLT Station)	X	X	X
• Duration Time of Call Display	X	X	X
• Electronic Station Lock	X	X	X
• Emergency Call Number Programming	X	X	X
• Extension Groups	X	X	X
• Extension Name on Display when Idle	X	X	X
• Exclusive Hold	X	X	X
• Executive Override	X	X	X
• Executive Override Deny	X	X	X
• External Modem Support	X	X	X
• External Paging Ports	X	X	X
• Fax Transfer	X	X	X
• Flexible CO Keys (DSS/BLF, One Touch Dial)	X	X	X
• Flexible DSS Keys (One Touch, Feature Access)	X	X	X
• Flexible Key Assignments	X	X	X
• Flexible Line Assignment	X	X	X
• Flexible Night Service/Programmable/Manual	X	X	X
• Flexible Ringing Assignment (Day, Night)	X	X	X
• Flexible Ring Assignment (Lunch)	X	X	X
• Flexible Station Numbering	X	X	X
• Hands-Free Answer Back Intercom	X	X	X
• Handset/Headset-Display Phones	X	X	X
• Hold	X	X	X
• Hold Recall/Hold Reminder	X	X	X

Units, Weights and Specifications subject to change.

KX-TDA DIGITAL HYBRID IP-PBX SYSTEM FEATURE LIST

System Features	KX-TDA50	KX-TDA100	KX-TDA200
• Hotel/Motel Features	X	X	X
• Ring Message Waiting	X	X	X
• Remote Station Lock	X	X	X
• Quick Dialing	X	X	X
• Room Status	X	X	X
• Industry Standard Telephone Capability	X	X	X
• Internal Paging (All Call Paging)	X	X	X
• Internal Paging (Zone Paging)	X	X	X
• ISDN Primary Rate Interface (PRI)		X	X
• Last Number Redial	X	X	X
• Limited Call Duration	X	X	X
• Live Call Screening (DPITS only)	X	X	X
• Live Call Screening, Remote (DPITS only)	X	X	X
• Login/Logout (Hunt, Ring, UCD)	X	X	X
• Login/Logout	X	X	X
• Lunch/Break Mode	X	X	X
• Memory Back-up	X	X	X
• Message Waiting - Proprietary Phones	X	X	X
• Message Waiting SLT	X	X	X
• Military Time Display	X	X	X
• M.O.H. (Music on Hold)	X	X	X
• Multi-Cell wireless	X	X	X
• Multilingual Displays (5)	X	X	X
• Multiple Voice Mail Lamps	X	X	X
• Off-Hook Tone Signaling	X	X	X
• Off-Hook Monitoring (KX-T7431, 7433, 7436, 7600 Series)	X	X	X
• Off-Hook Voice Announce (KX-T7235, T7436, 7600 Series)	X	X	X
• On-Site Programming Diagnostics	X	X	X
• Operator Call	X	X	X
• Power Failure Transfer	X	X	X
• Pre-Selection (Central Office or Intercom)	X	X	X
• Privacy Release	X	X	X
• Remote Programming/Diagnostics QSIG	X	X	X
• Remote Programming and Diagnostics Modem	X	X	X
• Remote Station Lock Control	X	X	X
• Ring Groups	X	X	X
• Ring Groups DISA	X	X	X
• Ringing Line Preference	X	X	X
• Saved Number Redial	X	X	X
• Secret Dialing	X	X	X
• Seven Day ARS Time Tables	X	X	X
• S.M.D.R. (Station Message Detail Recording)	X	X	X
• Station Name Display	X	X	X
• Station to Station Messaging	X	X	X
• Station Speed Dial Numbers (10)	X	X	X
• System Speed Dial Numbers	X	X	X
• T1 Interface		X	X
• T.A.F.A.S. (Trunk Answer from any Station)	X	X	X
• CSTA Compliant	X	X	X
• Timed Reminder	X	X	X
• Timed Reminder, Remote	X	X	X
• Toll Restriction	X	X	X
• Toll Restriction Override	X	X	X
• Tone/Pulse Conversation	X	X	X
• Tone/Pulse Dialing (By CO Line)	X	X	X
• Transfer (Screened/Unscreened)	X	X	X
• Trunk Groups	X	X	X
• Two-Way Record (DPITS)	X	X	X
• Two-Way Transfer (DPITS)	X	X	X
• Unattended Conference Call	X	X	X
• Uniform Call Distribution without OGM	X	X	X
• Uniform Call Distribution with OGM	X	X	X
• Voice Mail, Automatic Configuration (DPITS only)	X	X	X
• Voice Mail Integration (Inband)	X	X	X

Units, Weights and Specifications subject to change.

KX-TDA DIGITAL HYBRID IP-PBX SYSTEM FEATURE LIST

System Features	KX-TDA50	KX-TDA100	KX-TDA200
• Voice Mail Integration (DPITS)	X	X	X
• Voice Mail Ports	X	X	X
• VCIIP	X	X	X
• Walking Class of Service	X	X	X
• Whisper OHCA	X	X	